UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/598,715	09/08/2006	Young Chul Choi	2017-115	9254
52706 IPLA P.A.	I EXAMINER			
3580 WILSHIR	RE BLVD.	BOMBERG, KENNETH		
= =	17TH FLOOR LOS ANGELES, CA 90010			PAPER NUMBER
			3754	
			MAIL DATE	DELIVERY MODE
			03/24/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/598,715	CHOI, YOUNG CHUL			
Office Action Summary	Examiner	Art Unit			
	KENNETH BOMBERG	3754			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>08 Seconds</u> This action is FINAL . 2b)⊠ This Since this application is in condition for allowant closed in accordance with the practice under Expression in the Expression in the practice under Expression in the Expression in the Expression	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examiner 10) ☐ The drawing(s) filed on 08 September 2006 is/a Applicant may not request that any objection to the or	r election requirement. r. ire: a)∐ accepted or b)⊠ objec	•			
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 9/8/06.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte			

Application/Control Number: 10/598,715 Page 2

Art Unit: 3754

DETAILED ACTION

Nonpublication Request

1. A Nonpublication request under 35 U.S.C. 122(b)(2)(B)(i) certifying that the invention disclosed in the application has not and will not be the subject of an application filed in another country, or under a multilateral international agreement, that requires publication of applications 18 months after filing was filed with this application. However, this application was filed under 37 U.S.C. 371 as a National Stage application of PCT/KR05/00671, which published as WO 2005/094908 A1 on 13 October 2005. It is therefor not understood how the above certification could be made. Clarification is requested.

Drawings

2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: the pumping unit cap 25 in paragraph [25]. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/598,715 Page 3

Art Unit: 3754

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the

basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by US Patent Application

Publication No. 2003/0123919 to Gueret (Gueret).

Gueret teaches:

A dispenser device comprising (250; [0240];Fig. 26):

a container (257);

a silver foam block (element 255) which has is contained in the container;

and a pumping unit (251) which is combined at the upper portion of the container; and

wherein the water filled in the container may be changed into silver ionized water by the

silver foam block and may be dispensed through the pumping unit.

(Note in [0325]-[0328] the element is a substance which may release ions for the

purpose of conferring antiseptic or regenerative properties, the substance may

include silver to release silver ions. Also, the element may include foam loaded

with a material containing the substance [0036].)

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Quinn is included because a water purifying device using silver and having a pump is

Application/Control Number: 10/598,715

Art Unit: 3754

taught. Dargols is included because a transparent spray dispenser including an ion exchange

material to treat the water in the container is taught. Paul is included because a spray dispenser

Page 4

including water having silver compounds is taught to be useful for medical treatment and

reducing the spread of bacteria.

6. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to KENNETH BOMBERG whose telephone number is (571)272-

4922. The examiner can normally be reached on Monday-Thursday and alternative Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Kevin P. Shaver can be reached on (571)272-4720. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

7. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

KB

/Kenneth Bomberg/

Primary Examiner, Art Unit 3754